

HISAKA

HISAKA

- Worldwide leader in thermal engineering
- Global supplier with the original and finest technology
- Pioneer to challenge for innovation

HISAKA WORKS, LTD. has achieved the design and development of Plate Heat Exchangers as a pioneer in Japan since 1953 by the own research, development and technology. With the finest production technique and sensibility of Japanese, we are specializing in thermal engineering and plate technology.

Through the years of experiences and know-how, we have launched the world largest size plate UX-100 (Jumbo) for Central Cooling System (CCS) since 1996 and have been enjoying good reputations all over the world, as the leading company with unique and innovative plate technologies. All the industries, aiming at the energy-saving and zero emission, are drawing much attention to our Jumbo Plate Heat Exchangers, since they are high-efficiently utilizing the natural source energy, mild to the environment and easy for maintenance.

Not only that, Jumbo Plate Heat Exchangers are also playing major roles in the kind of applications (heater, cooler and heat recovery) in the industries, which may be one of necessary items in the 21st century of environment.



MAGORONO

"MAGOKORO" is a motto of our company, which means we HISAKA Works, Ltd. are willing to provide our sincerity to all stakeholders.



Plate Heat Exchanger

Construction

The heat transfer plates are thin sheets of corrosion resistant metals such as stainless steel or titanium and etc. that are press-formed with a corrugated pattern on their surfaces, and sealed with synthetic rubber gaskets in their groove, which seal the flow channel and direct the fluids into alternate channels.

Such plates are suspended, supported and aligned by guide bars, and tightened by bolt and nut between fixed and movable frames.

The equipment can adjust the number of plates so as to meet the heat duty.

Features

High performance

The press-formed patterns provide a high heat transfer coefficient by a turbulence flow.

Less weight and compact

Less weight and compact size can be realized by the thin heat transfer plates and the small holding volume. These features provide inexpensiveness and simple installation work.

Quick start-up

Smaller holding volume makes quick start-up of the process.

Easy maintenance

Plate Heat Exchanger can be easily opened for inspection and maintenance by loosening the bolts and nuts, and also easily reassembled.

Duty flexibility

The unit is flexible by increasing / decreasing the number of the plates within the space.

Comparison between Tubular Heat Exchanger and Plate Heat Exchanger

Smaller heat transfer area is obtained by higher heat transfer coefficient (3 to 5 times against Tubular Heat Exchanger). And the construction features achieve as 1/4 for Tubular.

The temperature approach between both fluids can be minimized to the extreme. Simple construction helps easy opening and visual inspection on each plate in the installation space while Tubular requires extra space for drawing-out the tube bundle from the body using heavy machinery.



Δ



11/02/2015 5:11:28 PM

Central Cooling System (CCS)

Advantages by using HISAKA Jumbo Plate Heat Exchanger

Mega plants and complex, required for total higher optimization, have been internationally planning and constructing. A great number of large size Plate Heat Exchangers are applied for the effective Central Cooling System (CCS) to facilitate those energy consumption and efficiency.

Comparison in the size of Plate Heat Exchangers

Both Tubular and Plate Heat Exchangers are available for CCS, but Plate Heat Exchanger brings much more advantages. HISAKA Jumbo Plate Heat Exchanger has more benefits than other conventional large size plate heat exchanger ; • Less number of units due to largest connection size even in the same duty.

• Less heat transfer area by more pressure drop available for heat transfer.

These major benefits assist less installation space and works, maintenance works and initial cost saving for the equipment itself as well as piping, pumps, valves and instruments.



The above illustrated installation layout is examples for total flow rate of 32,000m³/h case.

11/02/2015 5:11:29 PM

strainer and inner strainer in plate potrhole will

solve this problem to prevent from clogging

the plate heat exchanger.

6

HISAKA Jumbo Plate Heat Exchanger Series

UX-100/UX-130

500mm (20") diameter plate porthole and connection can accept the max. 5000m³/h flow rate. Particularly, its unique plate pattern is allowed to use seawater sufficiently and make high thermal and pressure-resistance, therefore it is most suitable for the largest size of Central Cooling System.

UX-90

Max. 2000m³/h flow rate is possible to pass through by 350mm (14") diameter plate porthole and connection. It has the same design concept as UX-100/UX-130 and it is most suitable for the largest size of Central Cooling System as well as the wide range of applications such as heater, cooler, heat recovery etc.

RX-90

The height is designed as per the particular restriction in the buildings (for HVAC) and/or in the maritime shipments (for Central Cooler or LO Cooler). Also, max. 3200m³/h flow rate can be handled by 400mm (16") diameter plate porthole and connection.

SX-80/90

350mm (14") diameter plate porthole and connection can help to handle the max. 2000m³/h flow rate. Plate design has very fine pitch to meet high pressure-resistance and high thermal length (high heat recovery) for heat recovery of process liquids.

Cooling systems

Central Cooling System (CCS)

Central cooling system is an excellent system for cooling the fresh water circulating in the plant by means of seawater and/or low quality water.

Fresh water is circulating in the closed loop. This cooling system will be free from clogging and fouling, and also made in inexpensive material. Accordingly, fouling, clogging and corrosion are managed only in CCS, then this system will offer economical maintenance and total operation cost saving.



Cooling Tower

Cooling tower is a traditional solution for cooling water system. But this system has some demerits.

- Huge volume of cooling water must be feed always.
- Cooling water quality will be inferior by contact with air and/or by induction of foreign materials.
- Plant side cooling system may be influenced by the low quality cooling water.
- Control system will be required to improve cooling water quality.
- Environmental pollution by the mist of cooling water.

Supply References in CCS

After first installation of the largest Jumbo Plate Heat Exchangers at the petrochemical plant outside Japan in 1996, HISAKA has been developing and manufacturing various kind of Jumbo Plate Heat Exchanger with the innovative new technologies to meet the demands. As a result of our entire improvements, HISAKA Jumbo Plate Heat Exchangers for the Central Cooling System have enjoyed reputations from the customers all over the world ; Chemical and Petrochemical industries, Power stations, Steelworks, Oil and gas refineries and Maritime operations and etc.

HISAKA is always aiming at further satisfaction and trust with our spirits "CHALLENGE FOR INNOVATION"







Ethylene (Cilegon, Indonesia / SX-90, 15units)





LNG (Ras Laffan, Qatar / UX-130, 16units)



Olefin (Jubail, Saudi Arabia / UX-100, 6units)



Energy center (Lyondell, Holland / UX-100, 11units)



Methanol (Jubail, Saudi Arabia / UX-100, 6units)



Ammonia/Urea (Bontang, Indonesia / UX-100, 2unit & 3units)

Anywhere, HISAKA

HISAKA Jumbo Plate Heat Exchangers are working in the variety of industries for many process applications.



Off shore





Power station



Marine



Petrochemical plant



HVAC

Advanced Facilities & QA program

High press-form quality of plates, through our long experiences, builds the heart of products to derive high performance. To achieve it, with the highest and advanced manufacturing technology and facilities, 40,000-ton pressing machine, which is among the world largest, and 20,000-ton pressing machine and automation system, we are realizing top quality products in conformity to ISO 9001.









_ / ઇ∖_13

International Brand

HISAKA, a pioneer of Jumbo Plate Heat Exchanger, has established the solid position, and HISAKA brand is nowadays well-known in the world market.

HISAKA's motto is "MAGOKORO", which is the most important to build up good human relationship. We provide our "MAGOKORO" (sincerity) to all customers for creating high satisfaction and trust together with our partners.

Global Network

HISAKA (SHANGHAI) COMMERCE CO., LTD. (China)

Rm 1603 Shanghai Orientalcenter 699 Nanjin Road West, shanghai Tel: +86-21-5211-0701 Fax: +86-21-5211-0720

HISAKA (BEIJING) COMMERCE CO., LTD. (China)

Room 1705 Block B Lucky Tower, 3 DongSanHuan Beilu Chaoyang District Beijing 100027, P.R. China Tel: +86-10-6461-2411 Fax: +86-10-6461-2571

HISAKA WORKS (CHANGSHU) CO., LTD. (China)

No.1 Xiangyuan Road, Changshu Southeast Economic Development Zone, Changshu City, Jiangsu Province, China, 215542 Tel: +86-512-5213-3000 Fax: +86-512-5213-3008

HISAKAWORKS S.E.A SDN BHD

(Malaysia) (South East Asia Headquarters)

No 2, Jalan TP 2, Taman Perindustrian SIME UEP, 47600 Subang, Selangor Darul Ehsan, Malaysia Tel: +603 5880 4185 Fax: +603 8081 7185 Email: heatexc@hisaka-asia.com

HISAKA WORKS (THAILAND) CO., LTD. (Thailand)

16 Soi Onnut 62 Kwang Suanluang, Khet Suanluang, Bangkok 10250, Thailand. Tel: +66-2704-6038 / +66-2704-6039 Fax: +66-2704-6037

HISAKAWORKS SINGAPORE PTE LTD

No. 18, Boon Lay Way, #02-118 Trade Hub 21, Singapore 609966 Tel: +65 6897 8489 Fax: +65 6686 4579 Email: heatexc@hisaka-sing.com





Hisaka Works, Ltd. / Konoike Plant

PT HISAKA WORKS INDONESIA

Ruko Puri Botanical, Jl. Raya Joglo, Blok I 10 No 29, Joglo, Jakarta Barat 11640, Indonesia Tel : +62 051 5890 0090 - 1 Email : hisakindo@hisaka-asia.com

HISAVINA

(Vietnam Representative Office)

Hoang Dan Building, 47-49, Hoang Sa Street, Da Kao Ward, District 1, Ho Chi Minh City, Vietnam Tel: +84 8 3910 7355 Fax: +84 8 3910 7356 Email: hisavina@hisaka-asia.com

HISAPINO

(Philippines Representative Office) One Global Place, 20th Floor, Office Business Center, 25th Street & 5th Avenue, Bonifacio Global City, Taguig 1632, Philippines Tel: +632 224 4129 Fax: +632 224 4130 Email: hisapino@hisaka-asia.com

HISAKA MIDDLE EAST CO. LTD. (Kingdom of Saudi Arabia)

King Saud Street, PO BOX 8221, Dammam 31482 Kingdom of Saudi Arabia Tel: +966-3-8331473 Fax: +966-3-8331471

ARSOPI THERMAL S.A. (Portugal)

Codel 3730-901, Vale de Cambra, Codex, Portugal Tel: +351-256-410410 Fax: +351-256-410411





www.hisaka-asia.com

HISAKAWORKS S.E.A SDN BHD

Company No. 671059-K (South East Asia Headquarters) No 2, Jalan TP 2, Taman Perindustrian SIME UEP, 47600 Subang, Selangor Darul Ehsan, Malaysia Tel : +603 5880 4185 +603 8081 7185 Fax : heatexc@hisaka-asia.com Email

HISAKA WORKS, LTD

OSAKA	:	2-1-48, Higashi-konoike-cho
		Higashi-Osaka, Osaka, 578-0973, Japan
Tel	:	+81 72 966 9600
Fax	:	+81 72 966 8923

:	Kyobashi Om Bldg., 1-19-8,
	Kyobashi Chuo-Ku, Tokyo, 104-0031, Japan
:	+81 3 5250 0750
:	+81 3 3362 2759
	::

HISAKAWORKS THAILAND CO., LTD.

BANGKOK Phairojkijja Tower, 15th Floor Zone C, 825 Bangna-Trad Road, Kwang Bangna, Khet Bangna, Bangkok 10260 : +66 2744 3287 : +66 2744 3286 Tel Fax : heatexc@hisaka-thai.com Email

RAYONG

Eastiny Park 5 Village, 222/36, Moo 10 T. Bangsarey A. Sattahip, Chonbouri Province, 20250 Tel : +66 3811 0795 Fax +66 3811 0796 Email : heatexc@hisaka-thai.com

HISAKAWORKS SINGAPORE PTE LTD (Sales Office)

No. 18, Boon Lay Way, #02-118 Trade Hub 21 Singapore 609966

- Tel : +65 6897 8489
- Fax +65 6686 4579
- Email
 - : heatexc@hisaka-sing.com

EI HISAKA WORKS INDONESIA

Ruko Puri Botanical, Jl. Raya Joglo, Blok I 10 No 29, Kebun Jeruk, Jakarta Barat 11640, Indonesia +62 051 5890 0090 +62 051 5890 0091 Tel

- Fax
- : hisakindo@hisaka-asia.com Email

HISAVINA (Vietnam Representative Office)

HO CHI MINH CITY Hoang Dan Building, 47-49, Hoang Sa Street, Da Kao Ward, District 1, Ho Chi Minh City, Vietnam : +84 8 3910 7355 Tel +84 8 3910 7356 Fax

Email : hisavina@hisaka-asia.com

HANOI

8th Floor, Sannam Building, 78 Duy Tan St., Dich Vong Hau Ward, Cau Giay Dist., Hanoi Tel : +84 4 3795 9900 +84 4 3795 9911 Fax : hisavina@hisaka-asia.com Email

HISAECD (Philippines Representative Office) One Global Place, 20th Floor, Office Business Center, 25th Street & 5th Avenue, Bonifacio Global City, Taguig 1632, Philippines Tel : +632 224 4129

Fax +632 224 4130 Email : hisapino@hisaka-asia.com

